State of Alaska Department of Fish and Game Nomination for Waters Important to Anadromous Fish

	alog Number of Waterwa	av		191-20-13	400-2009 3	043,3018
	West Davis				2007 - 2005	
Name of Waterway	West Davis	s Сгеек		□ USGS Name	e V.	3005-40 3005-40
✓ Addition	Deletion	Correction	☐ Bac	kup Information	7	,
	00 / 4	For C	Office Use	,		
lomination #	99 11		-Ja	nafland	less 12	-20-99
Revision Year:	DEPT. OF CSO	<u> </u>	Regio	nal Supervisor	./-	Date
evision to: ALATIAS	GAME Catalog		2	Win		0/00
DEC 2	Bo4903 X	. 7	AWC	Project Biologist	[	Date // a /a
icvision code. Dis	2 de dione 3/13/02					
	HON II RESTORATION			Drafted		Date
		OBSERVATIO				
Species	Date(s) Obse		Spawning	Rearing	Present	Anadromous
Coho Colle Vordon	5/16/98			450	7	
Dolly Varden					/	
migration of anadromo duration and area sam	ous fish, including: nunpled; copies of field n	mber of fish a otes; etc. Att	and life stag ach a copy	es observed; sa of a map showir	mpling methods, sang location of mouth	ampling n and
migration of anadromoduration and area same observed upper extent spawning or rearing has a comments: West D system for upper extended to units that a constant to units that a constant is a constant to units that a constant is a constant to units that a constant is a constant is a constant in the constant is a constant in the constant is a constant in the constant in the constant is a constant in the constant i	ous fish, including: numpled; copies of field not of each species, as weakitat; locations, types eavis Creek is a catal tent and identified to wed throughout the set were previously has	mber of fish a otes; etc. Attavell as other in s, and heights alogued fish ovo additional system to up arvested in the	and life stag ach a copy nformation of any bar creek. Du tributaries	les observed; sa of a map showir such as: specific riers; etc. ring a survey in s for nomination is. The upper e	mpling methods, sang location of mouth a stream reaches of a May we were about Adult coho remeatent of these trib. This system is located the stream of the second and the system is located the system.	ampling n and pserved as le to walk the nains and putaries are cated on
migration of anadromoduration and area same observed upper extent spawning or rearing has a comments: West D system for upper extent coho fry were observadjacent to units that private lands owned	ous fish, including: numpled; copies of field not of each species, as weakitat; locations, types eavis Creek is a catal tent and identified two desired throughout the state of the state o	mber of fish a otes; etc. Atta vell as other in a other	and life stag ach a copy nformation of any bar creek. Du I tributaries per extent ne Johnsto	les observed; sa of a map showir such as: specific riers; etc. ring a survey in s for nomination is. The upper e	mpling methods, sang location of mouth a stream reaches of a May we were about Adult coho remeatent of these trib. This system is located the stream of the second and the system is located the system.	ampling n and oserved as le to walk the nains and outaries are cated on
migration of anadromoduration and area same observed upper extent spawning or rearing has a comments: West D system for upper extend coho fry were observed adjacent to units that private lands owned	ous fish, including: numpled; copies of field not of each species, as weakitat; locations, types eavis Creek is a catal tent and identified two desired throughout the state of the state o	mber of fish a otes; etc. Attavell as other in s, and heights alogued fish ovo additional system to up arvested in the	and life stag ach a copy information of any bar creek. Du tributaries per extent ne Johnsto	les observed; sa of a map showir such as: specific riers; etc. ring a survey in s for nomination is. The upper e	mpling methods, sang location of mouth a stream reaches of may we were about a May we were	ampling n and pserved as le to walk the nains and putaries are cated on
migration of anadromo duration and area sam observed upper extent spawning or rearing has a spawning to the spawning has a spawning	bus fish, including: numbed; copies of field not of each species, as wabitat; locations, types eavis Creek is a cataltent and identified two desired throughout the state of t	mber of fish a otes; etc. Atta vell as other in a other	and life stag ach a copy nformation of any bar creek. Du tributaries per extent ne Johnsto	les observed; sa of a map showir such as: specific riers; etc. ring a survey in s for nomination ts. The upper e on Creek sale.	mpling methods, sang location of mouth a stream reaches of may we were about a May we were	ampling n and observed as observed and observed on observed on observed on observed on observed on observed on observed as obs
IMPORTANT: Provide migration of anadromo duration and area same observed upper extent spawning or rearing has a spawning has a spawni	bus fish, including: number of species of field in the of each species, as weakitat; locations, types eavis Creek is a catal tent and identified two desired throughout the set were previously has by Mental Health Test of Signature:	mber of fish a otes; etc. Atta vell as other in a number of fish a other in a number of section and heights alogued fish a vo additional system to up arvested in the rust Lands.  Linda Speerst	and life stag ach a copy nformation of any bar creek. Du I tributaries per extent ne Johnsto	les observed; sa of a map showir such as: specific riers; etc. ring a survey in s for nomination ts. The upper e on Creek sale.	mpling methods, sang location of mouth a stream reaches of may we were about a May we were	ampling on and observed as served as served as served as served as served as served and served as se

